


Pyrosafe[®] Cylinder

Cylinder size	Dimensions		Shipping cube (incl. box)	Tare weight	Max. filling volume (90%)
	Diameter (Y)	Height (Z)			
Pyrosafe	9.0 cm	26.7 cm	0.012 m ³	1.4 kg	0.84 l
	3.562 inch	10.5 inch	0.41 ft ³	3.5 lb	0.22 US gals.



Valves and fittings	
A) Valve	¼ inch Brass ball valve
B) Connection	¼ inch Swagelok [®] Tube fitting for septum or 1/8 inch O.D. tubing (metal diptube)
General specifications	
DOT specification no.	3AA-1800
Max. allowable working pressure	1800 psig (124.1 barg)
Test pressure	3000 psig (206.8 barg)
Nitrogen gas blanket pressure	3-5 psig (0.2-0.3 barg)

Pyrosafe is a registered trademark of Akzo Nobel Chemicals BV or affiliates in one or more territories. Swagelok is a registered trademark of Swagelok Company.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Akzo Nobel Polymer Chemicals, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nothing contained herein shall be construed as granting or extending any license under any patent. Buyer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued bulletins on the subject matter covered. The user may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. You may not copy this document to a website.



Akzo Nobel Polymer Chemicals BV
Amersfoort, The Netherlands
Tel. +31 33 467 6767
Fax +31 33 467 6151

polymerchemicals.nl@akzonobel-pc.com

Akzo Nobel Polymer Chemicals LLC
Chicago, U.S.A.
Tel. +1 312 544 7000
1 800 828 7929 (Toll free US only)
Fax + 1 312 544 7188

polymerchemicals.na@akzonobel-pc.com

Akzo Nobel Polymer Chemicals Ltd.
Shanghai, PR China
Tel. +86 21 6279 3399
Fax +86 21 6247 1129

polymerchemicals.ap@akzonobel-pc.com

www.akzonobel-polymerchemicals.com